ELSEVIER

Journal of Affective Disorders 63 (2001) 259–261

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Author index

Adams, D., see Onozawa, K. (63) 201
Altamura, C., see Maes, M. (63) 113
Armitage, R., Emslie, G.J., Hoffmann, R.F., Rintelmann, J. and Rush, A.J.
Delta sleep EEG in depressed adolescent females and healthy controls (63) 139
Arolt, V., see Rothermundt, M. (63) 93
Asai, M., see Suzuki, E. (63) 221

Baillargeon, J., Black, S.A., Contreras, S., Grady, J. and Pulvino, J.
Anti-depressant prescribing patterns for prison inmates with depressive disorders (63) 225
Basta-Kaim, A., see Kubera, M. (63) 171
Baugher, M., see Brent, D.A. (63) 51
Becht, M.C., Van Erp, C.F., Teeuwisse, T.M., Van Heck, G.L., Van Son, M.J. and Pop, V.J.
Measuring depression in women around menopausal age. Towards a validation of the Edinburgh Depression Scale (63) 209
Bergroth, L., see Sourander, A. (63) 59
Birmaher, B., see Brent, D.A. (63) 51
Black, S.A., see Baillargeon, J. (63) 225
Bosmans, E., see Maes, M. (63) 85
Bottlender, R., Rudolf, D., Strauß, A. and Möller, H.-J.
Mood-stabilisers reduce the risk of developing antidepressant-induced maniform states in acute treatment of bipolar I depressed patients (63) 79
Brent, D.A., Birmaher, B., Kolko, D., Baugher, M. and Bridge, J.
Subsyndromal depression in adolescents after a brief psychotherapy trial: course and outcome (63) 51
Bridge, J., see Brent, D.A. (63) 51

Carpenter, L.L., see Yasmin, S. (63) 243
Chao, A., see Yip, P.S.F. (63) 257
Chen, C.-C., see Tsai, S.-Y.M. (63) 215
Cheu, Y.-M., see Leu, S.-J. (63) 27
Chiu, H.F.K., see Lee, D.T.S. (63) 233
Chung, T.K.H., see Lee, D.T.S. (63) 233
Clark, L., Iversen, S.D. and Goodwin, G.M.
The influence of positive and negative mood states on risk taking, verbal fluency, and salivary cortisol (63) 179
Cohen, W., see McCall, W.V. (63) 17
Contreras, S., see Baillargeon, J. (63) 225
Costello, F., see O'Leary, D. (63) 67

David, A.S., see Lambert, M.V. (63) 249
De Jongh, R., see Maes, M. (63) 85
Delmeire, L., see Maes, M. (63) 113
Doward, L.C., see McKenna, S.P. (63) 189

Emslie, G.J., see Armitage, R. (63) 139

Fenker, J., see Rothermundt, M. (63) 93
Fewtrell, W.D., see Lambert, M.V. (63) 249
Fink, M.
Convulsive therapy: a review of the first 55 years (63) 1
Fujita, H., see Mino, Y. (63) 43

Glover, V., see Onozawa, K. (63) 201
Goodwin, G.M., see Clark, L. (63) 179
Grady, J., see Baillargeon, J. (63) 225
Gutbrodt, H., see Rothermundt, M. (63) 93

Haavisto, A., see Sourander, A. (63) 59
Hawton, K., see Houston, K. (63) 159
Helstelä, L., see Sourander, A. (63) 59
Hilger, E., see Praschak-Rieder, N. (63) 239
Ho, T.P., see Yip, P.S.F. (63) 257
Hoffmann, R.F., see Armitage, R. (63) 139
Holan, V., see Kubera, M. (63) 171
Houston, K., Hawton, K. and Shepperd, R.
Suicide in young people aged 15–24: a psychological autopsy study (63) 159

Inoue, S., see Mino, Y. (63) 43
Iversen, S.D., see Clark, L. (63) 179

Johnson, S.L., see Lozano, B.E. (63) 103

Kanazawa, S., see Mino, Y. (63) 43
Kanba, S., see Suzuki, E. (63) 221
Kasper, S., see Praschak-Rieder, N. (63) 239
Kasperowicz-Dąbrowiecka, A. and Rybakowski, J.K.
Beyond the Winokur concept of depression spectrum disease: which types of alcoholism are related to primary affective illness? (63) 133
Kenis, G., see Maes, M. (63) 85
Kersting, A., see Rothermundt, M. (63) 93
Kirchner, H., see Rothermundt, M. (63) 93
Kohlmann, T., see McKenna, S.P. (63) 189

S0165-0327(01)00323-8

Kolko, D., see Brent, D.A. (63) 51
Kubera, M., Maes, M., Holan, V., Basta-Kaim, A., Roman, A. and Shani, J.
Prolonged desipramine treatment increases the production of interleukin-10, an anti-inflammatory cytokine, in C57BL/6 mice subjected to the chronic mild stress model of depression (63) 171
Kumar, R.C., see Onozawa, K. (63) 201
Kuo, C.-J., see Tsai, S.-Y.M. (63) 215

Lam, R.W., see Leu, S.-J. (63) 27
Lam, R.W., Tam, E.M., Yatham, L.N., Shiah, I.-S. and Zis, A.P.
Seasonal depression. The dual vulnerability hypothesis revisited (63) 123
Lambert, M.V., Senior, C., Fewtrell, W.D., Phillips, M.L. and David, A.S.
Primary and secondary depersonalisation disorder. a psychometric study (63) 249
Lawton, P., see McCall, W.V. (63) 17
Lee, D.T.S., Yip, A.S.K., Chiu, H.F.K., Leung, T.Y.S. and Chung, T.K.H.
Screening for postnatal depression: are specific instruments mandatory? (63) 233
Lee, H.-C., see Tsai, S.-Y.M. (63) 215
Lee, J.-C., see Tsai, S.-Y.M. (63) 215
Lenzinger, E., see Praschak-Rieder, N. (63) 239
Leon, Z., see Yasmin, S. (63) 243
Leu, S.-J., Shiah, I.-S., Yatham, L.N., Cheu, Y.-M. and Lam, R.W.
Immune–inflammatory markers in patients with seasonal affective disorder: effects of light therapy (63) 27
Leung, T.Y.S., see Lee, D.T.S. (63) 233
Lozano, B.E. and Johnson, S.L.
Can personality traits predict increases in manic and depressive symptoms? (63) 103

Maes, M., Delmeire, L., Mylle, J. and Altamura, C.
Risk and preventive factors of post-traumatic stress disorder (PTSD): alcohol consumption and intoxication prior to a traumatic event diminishes the relative risk to develop PTSD in response to that trauma (63) 113
Maes, M., see Kubera, M. (63) 171
Maes, M., Ombelet, W., De Jongh, R., Kenis, G. and Bosmans, E.
The inflammatory response following delivery is amplified in women who previously suffered from major depression, suggesting that major depression is accompanied by a sensitization of the inflammatory response system (63) 85
McCall, W.V., Reboussin, B.A., Cohen, W. and Lawton, P.
Electroconvulsive therapy is associated with superior symptomatic and functional change in depressed patients after psychiatric hospitalization (63) 17
McIntyre, J.S., see Olfson, M. (63) 149
McKenna, S.P., Doward, L.C., Kohlmann, T., Mercier, C., Niero, M., Paes, M., Patrick, D., Ramirez, N., Thorsen, H. and Whalley, D.
International development of the Quality of Life in Depression Scale (QLDS) (63) 189
Mercier, C., see McKenna, S.P. (63) 189
Mino, Y., Shimodera, S., Inoue, S., Fujita, H., Tanaka, S. and Kanazawa, S.
Expressed emotion of families and the course of mood disorders: a cohort study in Japan (63) 43
Mittman, B.S., see Olfson, M. (63) 149
Modi, N., see Onozawa, K. (63) 201
Möller, H.-J., see Bottlender, R. (63) 79
Mylle, J., see Maes, M. (63) 113

Nakaki, T., see Suzuki, E. (63) 221
Neumeister, A., see Praschak-Rieder, N. (63) 239
Niero, M., see McKenna, S.P. (63) 189

O'Leary, D. and Costello, F.
Personality and outcome in depression: an 18-month prospective follow-up study (63) 67
Olfson, M., Zarin, D.A., Mittman, B.S. and McIntyre, J.S.
Is gender a factor in psychiatrists' evaluation and treatment of patients with major depression? (63) 149
Ombelet, W., see Maes, M. (63) 85
Onozawa, K., Glover, V., Adams, D., Modi, N. and Kumar, R.C.
Infant massage improves mother–infant interaction for mothers with postnatal depression (63) 201

Paes, M., see McKenna, S.P. (63) 189
Patrick, D., see McKenna, S.P. (63) 189
Patten, S.B.
Long-term medical conditions and major depression in a Canadian population study at waves 1 and 2 (63) 35
Peters, M., see Rothermundt, M. (63) 93
Phillips, M.L., see Lambert, M.V. (63) 249
Pop, V.J., see Becht, M.C. (63) 209
Praschak-Rieder, N., Willeit, M., Neumeister, A., Hilger, E., Stastny, J., Thierry, N., Lenzinger, E. and Kasper, S.
Prevalence of premenstrual dysphoric disorder in female patients with seasonal affective disorder (63) 239
Price, L.H., see Yasmin, S. (63) 243
Pulvino, J., see Baillargeon, J. (63) 225

Ramirez, N., see McKenna, S.P. (63) 189
Reboussin, B.A., see McCall, W.V. (63) 17
Rintelmann, J., see Armitage, R. (63) 139
Roman, A., see Kubera, M. (63) 171
Rothermundt, M., Arolt, V., Peters, M., Gutbrodt, H., Fenker, J., Kersting, A. and Kirchner, H.
Inflammatory markers in major depression and melancholia (63) 93
Rudolf, D., see Bottlender, R. (63) 79
Rush, A.J., see Armitage, R. (63) 139
Rybakowski, J.K., see Kasperowicz-Dąbrowiecka, A. (63) 133

Senior, C., see Lambert, M.V. (63) 249
Shani, J., see Kubera, M. (63) 171
Shepperd, R., see Houston, K. (63) 159
Shiah, I.-S., see Lam, R.W. (63) 123
Shiah, I.-S., see Leu, S.-J. (63) 27
Shimodera, S., see Mino, Y. (63) 43

Siniscalchi, J.M., see Yasmin, S. (63) 243
Sourander, A., Helstelä, L., Haavisto, A. and Bergroth, L.
Suicidal thoughts and attempts among adolescents: a longitudinal 8-year follow-up study (63) 59
Stastny, J., see Praschak-Rieder, N. (63) 239
Strakowski, S.M., see Tsai, S.-Y.M. (63) 215
Strauß, A., see Bottlender, R. (63) 79
Suzuki, E., Yagi, G., Nakaki, T., Kanba, S. and Asai, M.
Elevated plasma nitrate levels in depressive states (63) 221

Tam, E.M., see Lam, R.W. (63) 123
Tanaka, S., see Mino, Y. (63) 43
Teeuwisse, T.M., see Becht, M.C. (63) 209
Thierry, N., see Praschak-Rieder, N. (63) 239
Thorsen, H., see McKenna, S.P. (63) 189
Tsai, S.-Y.M., Chen, C.-C., Kuo, C.-J., Lee, J.-C., Lee, H.-C. and Strakowski, S.M.
15-year outcome of treated bipolar disorder (63) 215

Van Erp, C.F., see Becht, M.C. (63) 209
Van Heck, G.L., see Becht, M.C. (63) 209
Van Son, M.J., see Becht, M.C. (63) 209

Whalley, D., see McKenna, S.P. (63) 189
Willeit, M., see Praschak-Rieder, N. (63) 239

Yagi, G., see Suzuki, E. (63) 221
Yasmin, S., Carpenter, L.L., Leon, Z., Siniscalchi, J.M. and Price, L.H.
Adjunctive gabapentin in treatment-resistant depression: a retrospective chart review (63) 243
Yatham, L.N., see Lam, R.W. (63) 123
Yatham, L.N., see Leu, S.-J. (63) 27
Yip, A.S.K., see Lee, D.T.S. (63) 233
Yip, P.S.F., Chao, A. and Ho, T.P.
Corrigendum to "A re-examination of seasonal variation in suicides in Australia and New Zealand". [J. Affect Disord. 47 (1998) 141–150] (63) 257

Zarin, D.A., see Olfson, M. (63) 149
Zis, A.P., see Lam, R.W. (63) 123

ELSEVIER

Journal of Affective Disorders 63 (2001) 263–265

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Subject index

Achievement striving; Bipolar; Mania; Depression; Personality **63,** 103

Acute phase proteins; Major depression; Melancholia; Immunology; Cytokines; Monocytes **63,** 93

Adolescents; Depression; Subsyndromal; Psychotherapy; Follow-up **63,** 51

Adolescents; Suicidality; Associated factors **63,** 59

Alcohol; Post-traumatic stress disorder; Traumatic event; Stressor; Diagnosis; Etiologic factors **63,** 113

Alcoholism; Depression; Comorbidity; Family history **63,** 133

Antidepressant; Gabapentin; Depression; Treatment-resistant **63,** 243

Antidepressants; Chronic stress; Desipramine; Cytokines; Immunoreactivity; Depression **63,** 171

Anxiety; Depersonalisation; Dissociation; Depression **63,** 249

Anxiety disorders; Depression; Nitric oxide; Plasma; Nitrite; Nitrate **63,** 221

Associated factors; Adolescents; Suicidality **63,** 59

Back pain; Depressive disorder; Migraine headaches; Sinusitis; Hypertension; Long term medical conditions; Relative risk **63,** 35

Bipolar; Mania; Depression; Personality; Achievement striving **63,** 103

Bipolar disorder; Predictor of long-term outcome; Psychosocial intervention; Compliance **63,** 215

Bipolar I depression; Maniform switches; Mood stabiliser **63,** 79

Children; Sleep EEG; Delta; Depression; Slow-wave sleep **63,** 139

Chronic stress; Desipramine; Cytokines; Immunoreactivity; Depression; Antidepressants **63,** 171

Climacteric; Menopause; Depression; Edinburgh Depression Scale; Validation **63,** 209

Comorbidity; Depression; Alcoholism; Family history **63,** 133

Compliance; Bipolar disorder; Predictor of long-term outcome; Psychosocial intervention **63,** 215

Convulsive therapy; History; Experience **63,** 1

Cytokines; Interleukin-6; Soluble interleukin-2 receptors; Soluble interleukin-6 receptors; Seasonal affective disorder; Winter depression; Light therapy **63,** 27

Cytokines; Long term sensitization; Kindling; Post-partum major depression; Immunology **63,** 85

Cytokines; Chronic stress; Desipramine; Immunoreactivity; Depression; Antidepressants **63,** 171

Delta; Sleep EEG; Depression; Children; Slow-wave sleep **63,** 139

Depersonalisation; Dissociation; Anxiety; Depression **63,** 249

Depression; Quality of life; Longitudinal observation; Treatment; Electroconvulsive therapy **63,** 17

Depression; Expressed emotion; Family; Mood disorder **63,** 43

Depression; Subsyndromal; Adolescents; Psychotherapy; Follow-up **63,** 51

Depression; Personality; Neuroticism; Remission; Relapse; Discharge **63,** 67

Depression; Major depression; Melancholia; Immunology; Acute phase proteins; Monocytes **63,** 93

Depression; Bipolar; Mania; Personality; Achievement striving **63,** 103

Depression; Seasonal affective disorder; Seasonal; Light; Light therapy; Diagnosis **63,** 123

Depression; Alcoholism; Comorbidity; Family history **63,** 133

Depression; Sleep EEG; Delta; Children; Slow-wave sleep **63,** 139

Depression; Management; Gender Differences **63,** 149

Depression; Chronic stress; Desipramine; Cytokines; Immunoreactivity; Antidepressants **63,** 171

Depression; Quality of life; Questionnaire; QLDS; Validation **63,** 189

Depression; Menopause; Climacteric; Edinburgh Depression Scale; Validation **63,** 209

Depression; Nitric oxide; Plasma; Nitrite; Nitrate; Anxiety disorders **63,** 221

Depression; Gabapentin; Treatment-resistant; Antidepressant **63,** 243

S0165-0327(01)00324-X

Depression; Depersonalisation; Dissociation; Anxiety **63,** 249

Depressive disorder; Migraine headaches; Sinusitis; Back pain; Hypertension; Long term medical conditions; Relative risk **63,** 35

Desipramine; Chronic stress; Cytokines; Immunoreactivity; Depression; Antidepressants **63,** 171

Diagnosis; Post-traumatic stress disorder; Traumatic event; Stressor; Alcohol; Etiologic factors **63,** 113

Diagnosis; Seasonal affective disorder; Depression; Seasonal; Light; Light therapy **63,** 123

Discharge; Depression; Personality; Neuroticism; Remission; Relapse **63,** 67

Dissociation; Depersonalisation; Anxiety; Depression **63,** 249

Edinburgh Depression Scale; Menopause; Climacteric; Depression; Validation **63,** 209

Electroconvulsive therapy; Depression; Quality of life; Longitudinal observation; Treatment **63,** 17

EPDS; Postnatal depression; Infant massage; Mother–infant interaction **63,** 201

Etiologic factors; Post-traumatic stress disorder; Traumatic event; Stressor; Alcohol; Diagnosis **63,** 113

Experience; Convulsive therapy; History **63,** 1

Expressed emotion; Family; Mood disorder; Depression **63,** 43

Family; Expressed emotion; Mood disorder; Depression **63,** 43

Family history; Depression; Alcoholism; Comorbidity **63,** 133

Fluency; Hypomania; Mood induction; Prefrontal; Risk taking; Salivary cortisol **63,** 179

Follow-up; Depression; Subsyndromal; Adolescents; Psychotherapy **63,** 51

Gabapentin; Depression; Treatment-resistant; Antidepressant **63,** 243

Gender Differences; Depression; Management **63,** 149

History; Convulsive therapy; Experience **63,** 1

Hypertension; Depressive disorder; Migraine headaches; Sinusitis; Back pain; Long term medical conditions; Relative risk **63,** 35

Hypomania; Mood induction; Prefrontal; Risk taking; Fluency; Salivary cortisol **63,** 179

Immunology; Cytokines; Long term sensitization; Kindling; Postpartum major depression **63,** 85

Immunology; Major depression; Melancholia; Cytokines; Acute phase proteins; Monocytes **63,** 93

Immunoreactivity; Chronic stress; Desipramine; Cytokines; Depression; Antidepressants **63,** 171

Infant massage; Postnatal depression; Mother–infant interaction; EPDS **63,** 201

Interleukin-6; Cytokines; Soluble interleukin-2 receptors; Soluble interleukin-6 receptors; Seasonal affective disorder; Winter depression; Light therapy **63,** 27

Kindling; Cytokines; Long term sensitization; Post-partum major depression; Immunology **63,** 85

Light; Seasonal affective disorder; Depression; Seasonal; Light therapy; Diagnosis **63,** 123

Light therapy; Cytokines; Interleukin-6; Soluble interleukin-2 receptors; Soluble interleukin-6 receptors; Seasonal affective disorder; Winter depression **63,** 27

Light therapy; Seasonal affective disorder; Depression; Seasonal; Light; Diagnosis **63,** 123

Long term medical conditions; Depressive disorder; Migraine headaches; Sinusitis; Back pain; Hypertension; Relative risk **63,** 35

Long term sensitization; Cytokines; Kindling; Post-partum major depression; Immunology **63,** 85

Longitudinal observation; Depression; Quality of life; Treatment; Electroconvulsive therapy **63,** 17

Major depression; Melancholia; Immunology; Cytokines; Acute phase proteins; Monocytes **63,** 93

Management; Depression; Gender Differences **63,** 149

Mania; Bipolar; Depression; Personality; Achievement striving **63,** 103

Maniform switches; Bipolar I depression; Mood stabiliser **63,** 79

Medication; Prisoners; Pharmacoepidemiology **63,** 225

Melancholia; Major depression; Immunology; Cytokines; Acute phase proteins; Monocytes **63,** 93

Menopause; Climacteric; Depression; Edinburgh Depression Scale; Validation **63,** 209

Migraine headaches; Depressive disorder; Sinusitis; Back pain; Hypertension; Long term medical conditions; Relative risk **63,** 35

Monocytes; Major depression; Melancholia; Immunology; Cytokines; Acute phase proteins **63,** 93

Mood disorder; Expressed emotion; Family; Depression **63,** 43

Mood induction; Hypomania; Prefrontal; Risk taking; Fluency; Salivary cortisol **63,** 179

Mood stabiliser; Bipolar I depression; Maniform switches **63,** 79

Mother–infant interaction; Postnatal depression; Infant massage; EPDS **63,** 201

Neuroticism; Depression; Personality; Remission; Relapse; Discharge **63,** 67

Nitrate; Depression; Nitric oxide; Plasma; Nitrite; Anxiety disorders **63,** 221

Nitric oxide; Depression; Plasma; Nitrite; Nitrate; Anxiety disorders **63,** 221

Nitrite; Depression; Nitric oxide; Plasma; Nitrate; Anxiety disorders **63,** 221

Personality; Depression; Neuroticism; Remission; Relapse; Discharge **63,** 67

Personality; Bipolar; Mania; Depression; Achievement striving **63,** 103

Pharmacoepidemiology; Prisoners; Medication **63,** 225

Plasma; Depression; Nitric oxide; Nitrite; Nitrate; Anxiety disorders **63,** 221

Postnatal depression; Infant massage; Mother–infant interaction; EPDS **63,** 201

Postnatal depression; Screening; Rating scales **63,** 233

Post-partum major depression; Cytokines; Long term sensitization; Kindling; Immunology **63,** 85

Post-traumatic stress disorder; Traumatic event; Stressor; Alcohol; Diagnosis; Etiologic factors **63,** 113

Predictor of long-term outcome; Bipolar disorder; Psychosocial intervention; Compliance **63,** 215

Prefrontal; Hypomania; Mood induction; Risk taking; Fluency; Salivary cortisol **63,** 179

Premenstrual dysphoric disorder; Seasonal affective disorder; Prevalence **63,** 239

Prevalence; Seasonal affective disorder; Premenstrual dysphoric disorder **63,** 239

Prisoners; Medication; Pharmacoepidemiology **63,** 225

Psychological autopsy; Suicide; Young people **63,** 159

Psychosocial intervention; Bipolar disorder; Predictor of long-term outcome; Compliance **63,** 215

Psychotherapy; Depression; Subsyndromal; Adolescents; Follow-up **63,** 51

QLDS; Depression; Quality of life; Questionnaire; Validation **63,** 189

Quality of life; Depression; Longitudinal observation; Treatment; Electroconvulsive therapy **63,** 17

Quality of life; Depression; Questionnaire; QLDS; Validation **63,** 189

Questionnaire; Depression; Quality of life; QLDS; Validation **63,** 189

Rating scales; Postnatal depression; Screening **63,** 233

Relapse; Depression; Personality; Neuroticism; Remission; Discharge **63,** 67

Relative risk; Depressive disorder; Migraine headaches; Sinusitis; Back pain; Hypertension; Long term medical conditions **63,** 35

Remission; Depression; Personality; Neuroticism; Relapse; Discharge **63,** 67

Risk taking; Hypomania; Mood induction; Prefrontal; Fluency; Salivary cortisol **63,** 179

Salivary cortisol; Hypomania; Mood induction; Prefrontal; Risk taking; Fluency **63,** 179

Screening; Postnatal depression; Rating scales **63,** 233

Seasonal; Seasonal affective disorder; Depression; Light; Light therapy; Diagnosis **63,** 123

Seasonal affective disorder; Cytokines; Interleukin-6; Soluble interleukin-2 receptors; Soluble interleukin-6 receptors; Winter depression; Light therapy **63,** 27

Seasonal affective disorder; Depression; Seasonal; Light; Light therapy; Diagnosis **63,** 123

Seasonal affective disorder; Premenstrual dysphoric disorder; Prevalence **63,** 239

Sinusitis; Depressive disorder; Migraine headaches; Back pain; Hypertension; Long term medical conditions; Relative risk **63,** 35

Sleep EEG; Delta; Depression; Children; Slow-wave sleep **63,** 139

Slow-wave sleep; Sleep EEG; Delta; Depression; Children **63,** 139

Soluble interleukin-2 receptors; Cytokines; Interleukin-6; Soluble interleukin-6 receptors; Seasonal affective disorder; Winter depression; Light therapy **63,** 27

Soluble interleukin-6 receptors; Cytokines; Interleukin-6; Soluble interleukin-2 receptors; Seasonal affective disorder; Winter depression; Light therapy **63,** 27

Stressor; Post-traumatic stress disorder; Traumatic event; Alcohol; Diagnosis; Etiologic factors **63,** 113

Subsyndromal; Depression; Adolescents; Psychotherapy; Follow-up **63,** 51

Suicidality; Adolescents; Associated factors **63,** 59

Suicide; Young people; Psychological autopsy **63,** 159

Traumatic event; Post-traumatic stress disorder; Stressor; Alcohol; Diagnosis; Etiologic factors **63,** 113

Treatment; Depression; Quality of life; Longitudinal observation; Electroconvulsive therapy **63,** 17

Treatment-resistant; Gabapentin; Depression; Antidepressant **63,** 243

Validation; Depression; Quality of life; Questionnaire; QLDS **63,** 189

Validation; Menopause; Climacteric; Depression; Edinburgh Depression Scale **63,** 209

Winter depression; Cytokines; Interleukin-6; Soluble interleukin-2 receptors; Soluble interleukin-6 receptors; Seasonal affective disorder; Light therapy **63,** 27

Young people; Suicide; Psychological autopsy **63,** 159